



# Sun Safety

## What Parks & Recreation Staff Should Know

### Sun Safety is Important!

Safety remains an important concern for parks and recreation (P & R) administrators and staff. They review, plan, and implement numerous protection measures related to swimming pools, playgrounds, maintenance procedures, and drug/weapon-free activities to safeguard both staff and patrons. Yet sun safety is often neglected, despite the sun's dominant, daily presence in the sky.

This oversight persists despite the fact that one in five Americans is expected to eventually get skin cancer, chiefly caused by exposure to ultraviolet (UV) radiation in sunlight. With over one million new cases expected this year, skin cancer is considered an epidemic. Each year there are more new cases of skin cancer than the grand total of new cancers of the prostate, breast, lung, and colon! In addition to skin cancer, exposure to sunlight can cause early aging (wrinkles and blotches), cataracts, and a weakened immune system.

Sunburns and tanning hurt the skin and serve as outward signs of internal skin damage. Health experts place UV rays in the same group as other cancer-causing agents like asbestos, arsenic, and tobacco smoke.

### Children are Particularly Vulnerable to Sunlight

A child's skin is especially vulnerable to solar radiation during the first ten years of life. Just one or two blistering sunburns during childhood significantly increase a young person's future risk of getting melanoma, the most deadly form of skin cancer.

P & R staff have a health and ethical mandate to help protect their patrons, especially children, from excessive unprotected sun exposure. Young people need special protection since up to 50 percent of an individual's lifetime exposure to sunlight occurs by age 20, at least for young people who work indoors as adults.

### Skin Cancer Rates are Rising

The number of people who get skin cancer has greatly increased during the past 30 years for these and other reasons:

- Modern clothing exposes more skin
- Tanning is falsely viewed as healthy
- Diminishing ozone, high in the sky, that partially protects the earth's surface from receiving UV rays
- General aging of the population
- Many people have moved to sunnier states

California is a Sun Belt state rich in beachfront and other recreation land that presents a high-risk environment for developing skin cancer.



Cover up!





### Three Major Forms of Skin Cancer

There are actually more than 200 types of cancer that may appear in the skin. The three major forms of skin cancer are basal cell carcinoma (BCC), squamous cell carcinoma (SCC), and melanoma – the deadliest form. Skin cancer can develop anywhere on the body but most often appears on surfaces receiving the greatest amount of sunlight. BCC and SCC often take the form of a pale, wax-like, pearly bump or a red, scaly, sharply outlined patch. The patches may crust over, discharge pus, and sometimes bleed.

If not treated early, SCC may spread to other parts of the body. Less than one percent of people with SCC or BCC actually die from skin cancer. For many individuals, these two skin cancers cause some disfigurement based on the amount of damaged skin the physician must remove. Fortunately, skin cancer can be easily cured, in most cases, if the disease is treated in its early stages.

**Malignant melanoma** is the most dangerous type of skin cancer. It often arises from or near a mole. An individual should see his or her doctor (especially a dermatologist) if a mole or growth appears that has one or more of these features:

- If divided in half, the two resulting parts would have different shapes
- It has jagged or rough edges
- It has two or more colors (which may be mixed together)
- It is wider than a standard pencil eraser

Melanoma often appears on parts of the body not regularly exposed to sunlight. While light-skinned people have a greater risk of getting melanoma, this disease is increasing among people of color. Melanoma often results in death if it moves into internal organs such as the lungs, liver, or brain.

### Personal Risk Factors

While any individual can get skin cancer – regardless of skin color – light-skinned people are at highest risk. Individuals are more likely to develop skin cancer if they have one or more of these characteristics:

- Fair skin
- Blue, green, or hazel eyes
- Light-colored hair
- Freckles
- A tendency to burn rather than tan
- A history of severe sunburns
- Have many moles (over 50)
- A personal or family history of skin cancer.
- Outdoor worker

### Timing and Environmental Sun Safety Issues

UV radiation is more intense under certain time frames or conditions:

- From 10 a.m. to 4 p.m.
- When there is lack of thick cloud cover
- From mid-spring through mid-fall (also during winter at higher elevations)
- At higher altitudes



It is important to remember that outdoor work environments – especially between 10 a.m. to 4 p.m., from March through October – can be likened to a **radiation chamber**. Also, reflective surfaces like snow, water, and glass can reflect additional UV rays toward people.

### Avoid Heat Illness

In addition to UV rays, the sun emits heat which – at higher temperatures – can cause heat exhaustion, heat stroke, heat cramps, and other undesirable conditions. In rare cases, overheating can result in death.

To learn more about why and how to prevent heat illness, contact the California Department of Industrial Relations. Visit \_\_\_\_\_  
You may also call \_\_\_\_\_



Cover up!



### Skin Cancer Prevention

The recommended practices for preventing skin cancer are:

- Reduce sun exposure from 10 a.m. to 4 p.m., when UV rays are strongest. (This is especially important from mid-spring through mid-fall.)
- Wear a wide-brimmed hat (at least 4-inch brim) that produces a shadow that covers the eyes, nose, face, ears, and neck.
- Wear tightly-woven, loose-fitting clothing that covers as much of the body as possible, weather permitting.
- Stay under shade (trees, physical structures) to shield you, especially from 10 a.m. to 4 p.m. **Shade tip:** When possible, reconfigure recreation settings so that play areas and equipment are protected by shade.
- Wear sunglasses that include a warranty stating that they provide 99–100 percent UVA and UVB (broad-spectrum) protection. Prescription glasses can have an UV-protective coating applied to the lens.
- Liberally apply sunscreen to exposed skin 15 minutes before going outdoors. The sunscreen container should specify a sun protection factor (SPF) of 15 or above and should state that it provides broad-spectrum (UVA and UVB) protection. Look for mexoryl, zinc oxide, or z-cote in the active ingredients list to help assure maximum sunscreen effectiveness. Depending on outdoor conditions, sunscreen should be reapplied at least every two hours.
- Individuals with sensitive skin may want to test a new sunscreen on a small portion of skin to see if any negative reactions occur within 24 hours.
- Use lip balm with a SPF of 15 or greater.
- Avoid tanning salons, booths, and sunlamps.

• **CAUTION!** Don't depend on sunscreen alone to protect you from skin cancer. Instead, rely as much as possible on a combination of all the tips listed.



P & R staff should model sun-protective behaviors and actively encourage patrons to do likewise. Staff may want to utilize a skin cancer prevention “buddy system” to reinforce and support their commitment to practice sun safety. Skin cancer prevention education materials should be sent home with younger patrons so parents will become informed and encourage their children to adopt sun-protection behaviors.

On a personal level, P & R staff should use a hand mirror to perform a self skin examination every one to three months to check moles and other possible signs of skin cancer as previously described. See a dermatologist if you suspect any problems. Visit [www.skincancer.org](http://www.skincancer.org) to review pictures of skin cancer. Click on the name of the specific skin cancer you want to see. Also check out the website’s “self-examination” section.

### Skin Cancer Treatment

Eighty to 90 percent of skin cancers are treated with surgery. Other solutions include radiation therapy, electrodesiccation (tissue destruction by heat), cryosurgery (tissue destruction by freezing), laser therapy, and drug therapy.

### Description of California Department of Health Services –

#### Skin Cancer Prevention Program

The Skin Cancer Prevention Program (SCPP), a unit within the California Department of Health Services, produced the module *Sun Safety Kit for Parks & Recreation Programs* which includes this fact sheet. Distribution of this kit is part of a larger campaign to increase public awareness and practice of recommended sun-safety behaviors. SCPP utilizes education modalities, policy development, and media productions to advance its objectives. The primary target groups are children under 14 years of age, their parents and other care providers, along with outdoor workers. If you have questions or comments about skin cancer or this kit, please contact the SCPP at:

**Remember to protect the skin you're in!**



Cover up!

